TriggerMatrix V0

yes there is a 8bit Prototype, built in a Techstar made it a TEKKSTAR, but also there it was soon replaced with a 32Bit Core,


a other 32bit Variante built in on the other Upper-Manual in Crumar 198, UI-controlled via a BCR2000





TriggerMatrix V1

32 Bit PROTOTYPE



TriggerMatrix V2

not supported anymore, it has timing issues, use the way more lightwight V3 or V4!



What is Triggermatrix ?

a quick but not full view into triggermatrix and sequencing (german-austrian) Triggermatrix Teaching Triggermatrix-basics Echtzeit Musik

Teaser

You have spend time to program a cool rythm, and you already know which chords/melodys you want to play, and now its time to programm the timing/steps/the rythm in the melody... after quite a while of trying and looking on your drumline you have a fitting melody line for your drums...

now you change the drums a bit... o no i also have to change the melody now... i make a break, a intro...oh no so much work and time...and all because, the melody is fixed in arrangement,

you want a melody line that goes with beat? you want to change the beat note stream also (noteprocessing)? > read more... i have a tool for you!!! it will change your way doing LIVE! get ready for JAM!

Features

Short spoken:

- 16xdrumtriggers > Trigger-Routing-Matrix > Drum-Syntesizers
- Melody-lines > Trigger-Routing-Matrix > Melody-Syntesizers

Rules:

- Drum-Trigger are Velocity Master > we dont care about the velocity of the Melodys
- There are Songs (ProgramChange), each Song has 16 different Trigger-Routings Presets> these are the Song-Parts
- 512 Songs saved on SD-Card, and Load-able while playing
- 512 System-Settings(Setups) saved on SD-Card...i use only one of it
- Triggermatrix midi-outs are connected to all synths, so it manage the program-change also
- 16x Trigger-OUTs with fixed Notes, on one midichannel to connect Drum-Synths, Drum-Samplers
- 6x Polyphonic Melody-Retrigger-OUTs on 6 MidiChannels to connect MelodySynths to it
- 12x Monophonic Melody-Retrigger-OUTs on 12 MidiChannels to connect Monophonic Synths like pitchable Drums or Bass-Synths
- All 16 Trigger & ReTrigger-OUTs share the same Routing and Channelstrip UI (Mute, Solo, Roll...)
- Trigger, Poly, Mono-OUTs can be controlled seperatly by > Random-Kill & Velocity-OFFSet
- 6x Melody-Input-Matrix Route & Mix Melody Inputs to the 16 Melody-Retrigger-Outs (saved in Song)
- 16x Melody-Input-Matrix-Hold-Buttons hold the last Note, save it in the Patch usefull when pitch drums.

V1: the Matrix has also a Trigger-Sequencer built in, the Melodys have to come from anywhere else, but @ the end, they have to be plugged into the matrix...

Trigger-sequencer, a few facts:

- is a Drum-Step-Sequencer
- 256 Steps in total
- minimal LoopSection is 16steps = 1 Page, there are 16 pages to chain
- intro LoopSection, from step 0 until to the "minimal LoopSection"- is played once, then it loops the normal LoopSection
- The sequencer is made to give a static NoteStream, the Song-Structure is done by the TriggerMatrix
- Full Velocity control, visible with 3 different colours, each colour-Vel is set with its own CC
- Free programmable Swing to each Step, with 2 different swing Length-sets, which are controlled live via CC
- copy, paste, erase of pages
- copy, paste, erase of rows
- forward, backward, fw><bw play direction
- Not only 4/4 are possible, all other things like 5/4 are possible! +++

Generic Interface

Generic in sense of: PCBs that already out there:

- Wilba SEQ CS
- BLM16x16x
- LRE8x2CS_PCB
- CORE32 STM32F4
- 2x 2x40Char Display
- 2x Midi IO
- SD-Card and some wires (which all are crimpable)

so when you have those things, upload the Code & watch the videos above

Serial Chain is: Wilba SEQ-CS and then LRE8x2 code is working, SEQUENCER timing is a mess, i was still a newbee in c > "learning by doing"

here is a "FrontPanel+Pin-Out" where the functions on the WILBA CS & LRE8x2 are explained

2025/08/02 05:14										5/8													TriggerMatrix V4
SWING	JAN 55	M	PIN	6		4	2	0	6	4	2	0		6	4	2	0	6	4	1	2	0	ł
58 ROUTE	49 Full	/el	ENC SR		JO	G																	
46 57	38 34		PIN	IN 2																			
CC	SetV	/el											BLN	f+x									00000000
47	39			32		33	40	41	48	49	56	5	_	24	25	16	17	8		9	0	1	
56	33			39 3	38	37 36	47 40	45 4	1 55 54		63 62	61	60	31 30	29 28	23 22	21 2	~ ~~		3 12	7 6		ļ
Kill Hi	Set	Hi		Intro	° 1	SoLine 42	Qnt Ke	Swing	Copy	Paste	Clear	I			<move< td=""><td>Move></td><td>STOR</td><td>E LO/</td><td></td><td>2nt10</td><td>Qnt32</td><td>Qnt64</td><td></td></move<>	Move>	STOR	E LO/		2nt10	Qnt32	Qnt64	
14	30			35		43	42	51		PAGE		1										-	1
10	26			SHIF	т	Vel-Inv	LoopL		Copy	Paste	Clear	1 (BE	AT		STOP	PLAY	RE	c 🗌	<	>	< >	1
Kill Mid	Set N	Nid		37		44	45 er		53	60	61		1	1	28	29	20	21	1	2	13	4	
15 9	31 25		_	0?	-	41 0	40 2	48	6	FOCUS 8	10	12		14			18	19	- 1	1	3	2	-
	29		+	++	+	17	19	21	23	25	27	29		31		\vdash	++	+	+	+		++	-
Kill Lo	Set	LO	-	MB-LRE8x2 CS 2.5 in seriel to MB-SEQ CS Wilba																			
6	22			ENG	_	KIII_M	Dcy_N	Vel_N			Delay	Sw	n16	Swn32			TN						1
8	24		_	SR	_	7	7	8	8	9	9	10		10	\vdash	L	ED		_				_
	\vdash	-	-	PIN	_	0	4	0	4	0	4	0		4		\vdash	\vdash	+ +	-	-		++	-
	\vdash	-	+	ENC		KIII_D	Dcy_D	Vel_D	KIII_T 8	FullVel 9	Vel_Lo 9	Vel 10	_	Vel_Hi 10		\vdash	++	+	+	-		+	-
	\vdash	-	+	PIN	_	2	6	2	6	2	6	2		6	\vdash		++		+	+			1
						18	20	22	24	26	28	30		32									1
						1	3	5	7	9	11	13		15									1

TriggerMatrix V3



Teaser

more then V2 was Song-Structured, V3 is a JAM Oriented

in V2 we had a lot of UI-Elements, Menues, and Settings.

V3 is stripped down and optimized: 8 Faders, 5 Tactial Buttons, 3 Switches, 1 Encoder, + BLM16+16X. its more the orginal V0 Tekkstar, there we had only a matrix a view buttons and Pots... more used as an instrument

3/4 4/4 4/5 and other settings are Set on the 16×16 Matrix with "on matrix text".

The Timing now is rock-steady.

New is the Clip-Launcher, here we can Ableton-Style switch Clip-Variations and Songs Now we have a Roll-Variation Fader!

Features

Short spoken:

- 16xdrumtriggers > Trigger-Routing-Matrix > Drum-Syntesizers
- Melody-lines > Trigger-Routing-Matrix > Melody-Syntesizers

Rules:

- Drum-Trigger are Velocity Master > we dont care about the velocity of the Melodys
- There are Songs (ProgramChange), each Song has 8 different Trigger-Routings Presets> these are the Song-Parts
- 256 Songs saved on SD-Card, and Load-able while playing
- System-Settings, like Ports or MidiChannels are Hardcodet
- Triggermatrix midi-outs are connected to all synths, so it manage the program-change also
- 16x Trigger-OUTs with fixed Notes, on one midichannel to connect Drum-Synths, Drum-Samplers
- 5x Polyphonic Melody-Retrigger-OUTs on 5 MidiChannels to connect MelodySynths to it
- 11x Monophonic Melody-Retrigger-OUTs on 11 MidiChannels to connect Monophonic Synths like pitchable Drums or Bass-Synths
- All 16 Trigger & ReTrigger-OUTs share the same Routing and Channelstrip UI (Mute, Solo, Roll...)
- Trigger, Poly, Mono-OUTs can be controlled seperatly by > Random-Kill & Velocity-OFFSet
- 6×16 Melody-Input-Matrix Route & Mix Melody Inputs to the 16 Melody-Retrigger-Outs (saved in Song)
- 16x Melody-Input-Matrix-Hold-Buttons hold the last Note, save it in the Patch usefull when pitch drums.

the Matrix has also a Trigger-Sequencer built in, the Melodys have to come from anywhere else, but @ the end, they have to be plugged into the matrix...

Trigger-sequencer, a few facts:

- is a Drum-Step-Sequencer
- 256 Steps in total
- 32 th fixed rate
- 3,4,5,7,11,13/4 tact
- minimal LoopSection is 16steps = 1 Page, there are 16 pages to chain
- intro LoopSection, from step 0 until to the "minimal LoopSection"- is played once, then it loops the normal LoopSection
- The sequencer is made to give a static NoteStream, the Song-Structure is done LIVE by the TriggerMatrix-ROUTER
- Full Velocity control, visible with 3 different colours, Velocity Set via FADER
- Free programmable Swing to each Step, with 2 different swing Length-sets, which are controlled live via CC EDIT no CC for that right now
- copy, paste, erase of pages
- copy, paste, erase of rows
- fixed forward play direction

PCBs that already out there:

- BLM16x16x
- CORE32 STM32F4
- 2x Midi IO
- SD-Card and some wires (which all are crimpable)

so when you have those things, upload the Code & watch the videos above

Extendet UI via GPIO via J10AB, J5AB:



Community users working on it

• **Phatline** = Programming, Documentation, Hardware-Prototype, Testing, Jamin...

Getting Involved ?

Just let a Private message on the forum to user already involved

From: http://www.midibox.org/dokuwiki/ - **MIDIbox**

Permanent link: http://www.midibox.org/dokuwiki/doku.php?id=triggermatrix&rev=15171 91690



Last update: 2018/01/29 02:08