

About this document

For all assembler-based applications, [MPLAB](#) is needed, that's only available for Windows (or Linux via Wine). But there is a solution, described below, with which you can compile asm code with MPASM, a tool that's available not only for Linux, but as well for Macs! Thanks to svens for sharing this!

Compiling MIOS on Linux

If you ever tried to compile the MIOS source with gpasm on Linux, you've probably got a lot of error messages like:

```
svens@deprecated(1033)[0]:./src2$ gpasm main.asm
mios_isr.inc:76:Error [103] syntax error
mios_isr.inc:77:Error [103] syntax error
mios_isr.inc:78:Error [103] syntax error
mios_isr.inc:80:Error [103] syntax error
mios_isr.inc:81:Error [103] syntax error
mios_isr.inc:84:Error [103] syntax error
mios_isr.inc:133:Error [103] syntax error
mios_isr.inc:138:Error [103] syntax error
mios_isr.inc:174:Error [103] syntax error
mios_isr.inc:205:Error [103] syntax error
```

These errors are caused by a nice Feature from mpasm – you can pass instructions as Macro argument. Unfortunately, gpasm has (at least right now) no support for this, so i wrote a small quick&dirty script, that changes all these MACROS to the appropriate syntax. To use this script, copy the following files in your mios_v_1_x_src dir:

replace-macros.sed:

```
li;hey emacs, this is -*- asm -*-
/^[ \t]*;/b #skip commented line
/^\s*\w*\s*MACRO/b #skip macro definitions
s/\<BIFSET\s*\([^,]*\)\s*,\s*\([^,]*\)\s*,\s*\([^,]*\)\s*,\s*\([^,]*\)/btfsc \1,
\2, \3\n\t\4/g
s/\<BIFCLR\s*\([^,]*\)\s*,\s*\([^,]*\)\s*,\s*\([^,]*\)\s*,\s*\([^,]*\)/btfss \1,
\2, \3\n\t\4/g
s/\<IFSET\s*\([^,]*\)\s*,\s*\([^,]*\)\s*,\s*\([^,]*\)/btfsc \1, \2\n\t\3/g
s/\<IFCLR\s*\([^,]*\)\s*,\s*\([^,]*\)\s*,\s*\([^,]*\)/btfss \1, \2\n\t\3/g
s/\<IFNEQ\s*\([^,]*\)\s*,\s*\([^,]*\)\s*,\s*\([^,]*\)/cpfseq \1, \2\n\t\3/g
s/\<IFLEQ\s*\([^,]*\)\s*,\s*\([^,]*\)\s*,\s*\([^,]*\)/cpfsgt \1, \2\n\t\3/g
s/\<IFGEQ\s*\([^,]*\)\s*,\s*\([^,]*\)\s*,\s*\([^,]*\)/cpfslt \1, \2\n\t\3/g
s/\<rgoto\>/bra/g
```

fix-gpasm.sh:

```
#!/bin/sh
```

```
for i in src/*.inc src/*.asm src/*.h;do  
    tr -d '\r' < $i|sed -f replace-macros.sed >${i}_ && mv ${i}_ $i  
done
```

Now you can run `./fix-gpasm.sh`, which replaces all the problematic macros.

From: <https://www.midibox.org/dokuwiki/> - MIDibox

Permanent link: https://www.midibox.org/dokuwiki/doku.php?id=compiling_the_midibox_source_on_linux&rev=1160904901

Last update: **2007/01/13 14:40**

